



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report(s). This authorization also applies to the Multiple Listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The Certification Mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

Applicant: TORMAX USA Inc.
 12859 Wetmore Road
 San Antonio, TX 78247
 United States

Contact: David S. Woodring

Phone: 210-494-3551 x 107

Fax: 210-494-3935

Email: dwoodring@tormaxusa.com

Party Authorized to Apply Mark: See following page(s)

Evaluation Center: Intertek (Middleton)

Client Number: 206947

Authorized By: 
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
 545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA
 Phone: 847-439-5667 Fax: 847-439-7320



Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Testing Standard(s):	CAN / ULC S104 (2015), UL 10(c) (2016), NFPA 252 (2017)
Product:	TORMAX USA Inc. 3 Hour Fire Rated 1201& 1102 Swing Door Operator

ATM for Report: G103834906, G102780828, G104048980

ATM Issue Date: 8/29/2019

Listing Section(s): DOOR & FRAME HARDWARE

CSI Code(s): 08 70 00 Hardware

Description:

Product:

TORMAX USA Inc. 3 Hour Fire Rated 1201 & 1102 Swing Door Operator

Application:

Surface Mounted Door Operator for use in up to 3 hour positive pressure fire rated applications with listed and labeled fire rated wood or steel doors and listed and labeled fire rated wood or steel door frames. For use with masonry, or steel/wood stud drywall applications.

Qualifications:

3 Hour Positive Pressure Fire Rated per UL 10C (2016), NFPA 252 (2017), and CAN/ULC S104 (2015)

Party(s) Authorized by Manufacturer To Apply Mark:
None

Party(s) Authorized by Other Parties To Apply Mark:
None